

CGMS-37 WMO-WP-12 v1, 8 October 2009 Prepared by WMO Agenda Item: D.1 Discussed in Plenary

VISION FOR THE GOS IN 2025

The Vision of the Global Observing System (GOS) for 2025 which had been presented in a draft form at the last meeting of CGMS was finalized by the WMO Commission for Basic Systems (CBS-XIV) and endorsed in June 2009 by the WMO Executive Council (EC-LXI). The Council requested CBS to develop a new version of the Implementation Plan for the Evolution of Space and Surface-based Sub-systems of the GOS which should provide a roadmap to implement the Vision.

The new Vision calls for substantial enhancement of space-based observations. It anticipates a transition of several important missions from experimental to operational status and implies a new paradigm for global satellite mission planning, data sharing and interoperability.

The Council stressed the importance of an active partnership between WMO and the space agencies to achieve this challenging goal.

Action/Recommendation proposed:

CGMS is invited to reaffirm Recommendation 36.04:

CGMS satellite operators are invited to take the Vision for the GOS in 2025 into account when developing their own planning, and to report at the next meeting of CGMS on their initiatives to respond and contribute to its continued implementation.



VISION FOR THE GOS IN 2025

1 INTRODUCTION

Following CGMS-36, the ninth session of the Consultative Meeting on High-level Policy on Satellite Matters (CM-9), the fourteenth session of the WMO Commission on Basic Systems (CBS-XIV) discussed the new Vision for the Global Observing System (GOS) in 2025. The Vision was endorsed by the sixty-first session of the WMO Executive Council (EC-LXI) in June 2009.

2 CHANGES FROM THE DRAFT VISION

The changes in the document following CGMS-36, and resulting from deliberations at CM-9 and CBS-XIV, included additions to the preamble with effect to affirm the central role of the GOS within WIGOS, its linkage with the Group on Earth Observations (GEO) and its Global Earth Observation System of Systems (GEOSS), the complementary role of co-sponsored systems and, specifically for the space-based component, the essential collaborations with CGMS and the Committee on Earth Observation Satellites (CEOS). Some points were also added regarding the need for coordinated planning of the space-based and surface-based components, and the importance of quality control and characterization of observation errors.

3 OUTCOME OF EC-LXI

The Executive Council acknowledged the valuable contributions from CBS Expert Teams and collaborators from other Technical Commissions in the development of the "Vision for the GOS in 2025". The Executive Council also noted the substantial enhancement of space-based observations called for in the new Vision and highlighted that the Vision anticipated a transition of several important missions from experimental to operational status and implied a new paradigm for global satellite mission planning, data sharing and interoperability. The Council also stressed the importance of an active partnership between WMO and the space agencies to achieve this challenging goal.

Executive Council adopted the Vision and requested CBS to develop a new version of the Implementation Plan for the Evolution of Space and Surface-based Subsystems of the GOS (EGOS-IP) that will incorporate the "Vision for the GOS in 2025". For an online version of the Vision see:

(http://www.wmo.int/pages/prog/www/OSY/WorkingStructure/documents/CBS-2009_Vision-GOS-2025.pdf).

4 CONCLUSIONS

Satellite operators are invited to take the Vision for the GOS in 2025 into account when developing their own planning, and to report at the next meeting of CGMS on their initiatives to respond and contribute to its continued implementation.



APPENDIX

WORLD METEOROLOGICAL ORGANIZATION

Weather - Climate - Water

VISION FOR THE GOS IN 2025

(As adopted by EC LXI)

PREAMBLE

This Vision provides high-level goals to guide the evolution of the Global Observing System in the coming decades. These goals are intended to be challenging but achievable.

The future GOS will build upon existing sub-systems, both surface- and space-based, and capitalize on existing, new and emerging observing technologies not presently incorporated or fully exploited. Incremental additions to the GOS will be reflected in better data, products and services from the National Meteorological and Hydrological Services (NMHSs); this will be particularly true for developing countries and LDCs.

The future GOS will play a central role within the WMO Integrated Global Observing System (WIGOS)¹. This evolved integrated observing system will be a comprehensive "system of systems" interfaced with WMO co-sponsored and other non-WMO observing systems, making major contributions to the Global Earth Observation System of Systems (GEOSS); and will be delivered through enhanced involvement of WMO Members, Regions and technical commissions. The space-based component will rely on enhanced collaboration through partnerships such as the Coordination Group for Meteorological Satellites (CGMS) and the Committee on Earth Observation Satellites (CEOS). Portions of the surface and space-based subsystems will rely on WMO partner organizations: the Global Terrestrial Observing System (GTOS), the Global Ocean Observing System (GOOS), and others.

The scope of these changes to the GOS will be major and will involve new approaches in science, data handling, product development and utilization, and training.

1. GENERAL TRENDS AND ISSUES


Response to user needs

- The GOS will provide comprehensive observations in response to the needs of all WMO Members and Programmes for improved data products and services, for weather, water and climate;
- It will continue to provide effective global collaboration in the making and dissemination of observations, through a composite and increasingly complementary system of observing systems;
- It will provide observations when and where they are needed in a reliable, stable, sustained and cost-effective manner;
- It will routinely respond to user requirements for observations of specified spatial and temporal resolution, accuracy and timeliness; and,
- It will evolve in response to a rapidly changing user and technological environment, based on improved scientific understanding and advances in observational and data-processing technologies.

Integration

The GOS will have evolved to become part of the WIGOS¹, which will integrate current GOS functionalities, which are intended primarily to support operational weather forecasting, with those of other applications: climate monitoring, oceanography, atmospheric composition, hydrology, and weather and climate research:

¹ Assuming WIGOS is adopted at Cg-XVI





- Integration will be developed through the analysis of requirements and, where appropriate, through sharing observational infrastructure, platforms and sensors, across systems and with WMO Members and other partners;
- Surface and space-based observing systems will be planned in a coordinated manner to costeffectively serve variety of user needs with appropriate spatial and temporal resolutions.

Expansion

- There will be an expansion in both the user applications served and the variables observed;
- This will include observations to support the production of Essential Climate Variables, adhering to the GCOS climate monitoring principles;
- Sustainability of new components of the GOS will be secured, with some R&D systems integrated as operational systems;
- The range and volume of observations exchanged globally (rather than locally) will be increased;
- Some level of targeted observations will be achieved, whereby additional observations are acquired or usual observations are not acquired, in response to the local meteorological situation.

Automation


- The trend to develop fully automatic observing systems, using new observing and information technologies will continue, where it can be shown to be cost-effective;
- Access to real-time and raw data will be improved;
- Observing system test-beds will be used to intercompare and evaluate new systems and develop guidelines for integration of observing platforms and their implementation; and
- Observational data will be collected and transmitted in digital forms, highly compressed where necessary. Data processing will be highly computerized.

Consistency and homogeneity

- There will be increased standardization of instruments and observing methods;
- There will be improvements in calibration of observations and the provision of metadata, to ensure data consistency and traceability to absolute standards;
- There will be improved methods of quality control and characterization of errors of all observations;
- There will be increased interoperability, between existing observing systems and with newly implemented systems; and,
- There will be improved homogeneity of data formats and dissemination via the WIS.

2. THE SPACE-BASED COMPONENT

Instruments:	Geophysical variables and phenomena:	
Operational geostationary satellites. At least 6, separated by no more than 70 deg longitude		
High-resolution multi-spectral Vis/IR imagers	Cloud amount, type, top height/temperature; wind (through tracking cloud and water vapour features); sea/land surface temperature; precipitation; aerosols; snow cover; vegetation cover; albedo; atmospheric stability; fires; volcanic ash	
IR hyper-spectral sounders	Atmospheric temperature, humidity; wind (through tracking cloud and water vapour features); rapidly evolving mesoscale features; sea/land surface temperature; cloud amount and top height/temperature; atmospheric composition	
Lightning imagers	Lightning (in particular cloud to cloud), location of intense convection.	
Operational polar-orbiting sun-syn (~13:30, 17:30, 21:30 ECT)	chronous satellites distributed within 3 orbital planes	
IR hyper-spectral sounders	Atmospheric temperature, humidity and wind; sea/land	





CGMS	v1, 8 October 2009
MW sounders	surface temperature; cloud amount, water content and top
High-resolution multi-spectral Vis/IR imagers (including thermal IR water vapour absorption channel)	height/temperature; atmospheric composition Cloud amount, type, top height/temperature; wind (high latitudes, through tracking cloud and water vapour features); sea/land surface temperature; precipitation; aerosols; snow and ice cover; vegetation cover; albedo; atmospheric stability
Additional operational missions in appropriate others)	ropriate orbits (classical polar-orbiting, geostationary,
MW imagers – at least 3 – some polarimetric	Sea ice; total column water vapour; precipitation; sea surface wind speed [and direction]; cloud liquid water; sea/land surface temperature; soil moisture
Scatterometers - at least 2 on well separated orbital planes	Sea surface wind speed and direction; sea ice; soil moisture
Radio occultation constellation – at least 8 receivers	Atmospheric temperature and humidity; ionospheric electron density
Altimeter constellation including a reference mission in a precise orbit, and polar-orbiting altimeters for global coverage	Ocean surface topography; sea level; ocean wave height; lake levels; sea and land ice topography
IR dual-angle view imager	Sea surface temperature (of climate monitoring quality); aerosols; cloud properties
Narrow-band high-spectral and	Ocean colour; vegetation (including burnt areas); aerosols;
hyperspectral resolution Vis/NIR imagers	cloud properties; albedo
High-resolution multi-spectral Vis/IR	Land-surface imaging for land use and vegetation; flood
imagers – constellation	monitoring Drawinistics (liquid and solid)
Precipitation radars operated in conjunction with passive MW imagers in various orbits	Precipitation (liquid and solid)
Broad-band Vis/IR radiometer + total solar irradiance sensor - at least 1	Earth radiation budget (supported by imagers and sounders on polar-orbiting and geostationary satellites) and collocated aerosols and cloud properties measurements
Atmospheric composition instruments constellation, including high spectral resolution UV sounder on geostationary orbit and at least a UV sounder on am + pm orbit	Ozone; other atmospheric chemical species; aerosols – for greenhouse gas monitoring, ozone/UV monitoring, air quality monitoring
Synthetic aperture radar	Wave heights, directions and spectra; floods; sea ice leads; ice shelf and icebergs
Operational pathfinders and technology	
Doppler wind lidar on LEO	Wind; aerosol; cloud-top height [and base]
Low-frequency MW radiometer on LEO	Ocean surface salinity; soil moisture
MW imager/sounder on GEO	Precipitation; cloud water/ice; atmospheric humidity and temperature
High-resolution, multi-spectral narrow- band Vis/NIR and CCD imagers on GEOs	Ocean colour, cloud studies and disaster monitoring
Vis/IR imagers on satellites in high	Winds and clouds at high latitudes; sea ice; high latitude
inclination, highly elliptical orbits (HEO)	volcanic ash plumes; snow cover; vegetation; fires
Gravimetric sensors	Water volume in lakes, rivers, ground, etc.
Polar and geo platforms / instruments for space weather	
Solar imagery Particle detection Electron density	Solar radiation storms, high-energy particle rain, ionospheric and geomagnetic storms, radio black-out by X-ray photons

3. THE SURFACE-BASED COMPONENT



CGMS	v1, 8 October 2009
Station type:	Geophysical variables and phenomena:
Land – upper-air	
Upper-air synoptic and reference stations	Wind, temperature, humidity, pressure
Remote sensing upper-air profiling	Wind, cloud base and top, cloud water, temperature,
remote stations	humidity, aerosols
Aircraft	Wind, temperature, pressure, humidity, turbulence, icing,
Audiait	thunderstorms, dust/sandstorms, volcanic ash/activity, and
	atmospheric composition variables (aerosols, greenhouse
	gases, ozone, air quality, precipitation chemistry, reactive
	gases)
Atmospheric composition stations	Aerosol optical depth, atmospheric composition variables
	(aerosols, greenhouse gases, ozone, air quality,
	precipitation chemistry, reactive gases)
GNSS receiver stations	water vapour
Land – surface	Tracer vapour
Surface synoptic and climate reference	Surface pressure, temperature, humidity, wind; visibility;
	clouds; precipitation; present and past weather; radiation;
stations	soil temperature; evaporation; soil moisture; obscurations
Atmospheric composition stations	Atmospheric composition variables (aerosols, greenhouse
Atmospheric composition stations	gases, ozone, air quality, precipitation chemistry, reactive
	gases)
Lightning detection system stations	Lightning (location, density, rate of discharge, polarity,
Lightning detection system stations	volumetric distribution)
Application specific stations (road	Application specific observations
Application specific stations (road weather,	Application specific observations
airport / heliport weather stations,	
agromet stations, urban meteorology,	
etc)	
Land – hydrology	
	Water level
Hydrological reference stations	
National hydrological network stations	Precipitation, snow depth, snow water content, lake and
	river ice thickness/date of freezing and break-up, water
	level, water flow, water quality, soil moisture, soil temperature, sediment loads
Cround water stations	
Ground water stations	Ground water measurements
Land – weather radar	Description (hardeness to a size distribution where the sale
Weather radar station	Precipitation (hydrometeor size distribution, phase, type),
0	wind, humidity (from refractivity), sand and dust storms
Ocean – upper air	1 AAP - 1 4 4 1 2 P4
Automated Shipboard Aerological	Wind, temperature, humidity, pressure
Platform (ASAP) ships	
Ocean – surface	
HF Coastal Radars	Surface currents, waves
Synoptic sea stations (ocean, island,	Surface pressure, temperature, humidity, wind; visibility;
coastal and fixed platform)	cloud amount, type and base-height; precipitation;
	weather; sea-surface temperature; wave direction, period
	and height; sea ice
Ships	Surface pressure, temperature, humidity, wind; visibility;
	cloud amount, type and base-height; precipitation;
	weather; sea surface temperature; wave direction, period
	and height; sea ice
Buoys – moored and drifting	Surface pressure, temperature, humidity, wind; visibility;
	sea surface temperature; 3D & 2D wave spectrum, wave
	direction, period and height
Ice buoys	Surface pressure, temperature, wind, ice thickness
Tide stations	Sea water height, surface air pressure, wind, salinity, water
	temperature
Ocean – sub-surface	
Profiling floats	Temperature, salinity, current, dissolved oxygen, CO ₂
	, , , , , , , , , , , , , , , , , , , ,



	, 0 00.000. =000
	concentration
Ice tethered platforms	Temperature, salinity, current
Ships of opportunity	Temperature
R&D and Operational pathfinders – examples	
UAVs	Wind, temperature, humidity, atmospheric composition
Gondolas	Wind, temperature, humidity
GRUAN stations	Reference quality climate variables, cloud structure
Aircraft	Chemistry, aerosol, wind (lidar)
Instrumented marine animals	Temperature
Ocean gliders	Temperature, salinity, current, dissolved oxygen, CO ₂ concentration

4. SYSTEM-SPECIFIC TRENDS AND ISSUES

4.1 Space-based

- There will be an expanded space-based observing capability both on operational and research satellites;
- There will be an expanded community of space agencies contributing to the GOS;
- There will be **increased collaboration** between space agencies, to ensure that a broad spectrum of user requirements for observations are met in the most cost-effective manner, and that system reliability is assured through arrangements for mutual back-up;
- Observational capability demonstrated on R&D satellites will be progressively transferred to operational platforms, to assure the reliability and sustainability of measurements;
- **R&D satellites** will continue to play an important role in the GOS; although they cannot guarantee continuity of observations, they offer important contributions beyond the current means of operational systems. Partnerships will be developed between agencies to extend the operation of functional **R&D** and other satellites to the maximum useful period:
- Some user requirements will be met through **constellations** of satellite, often involving collaboration between space agencies. Expected constellations include: altimetry, precipitation, radio occultation, atmospheric composition and Earth radiation budget;
- **Higher spatial, temporal and spectral resolution** will considerably enhance the information available, particularly to monitor and predict rapidly-evolving, small-scale phenomena, whilst increasing the demand on data exchange, management and processing capability;
- Improved availability and timeliness will be achieved through operational cooperation among agencies and new communications infrastructure;
- Improved calibration and inter-calibration will be achieved through mechanisms such as GSICS.

4.2 Surface-based

The surface-based GOS will provide:

- Improved detection of meso-scale phenomena;
- Data that cannot be measured by space-based component;
- Data for calibration and validation of space-based data;
- Enhanced data exchange of regional scale observing data and product from weather radar, hydrological networks, etc.;
- High vertical resolution profiles from radiosondes and other ground based remote-sensing systems, integrated with other observations to represent the atmospheric structure;
- Improved data quality with defined standards on availability, accuracy and quality control;
- Long-term datasets for the detection and understanding of environmental trends and changes to complement those derived from space-based systems;
- Maintenance of stations with long historically-uninterrupted observing records.

Radiosondes networks will:

- Be optimized, particularly in terms of horizontal spacing which will increase in data-dense areas, and taking account of observations available from other profiling systems;
- Be complemented by the **aircraft (AMDAR)** ascent/descents profiles and other ground-based profiling systems;



- Maintain the **GUAN** subset of stations for climate monitoring;
- Include a GCOS Reference Upper-Air Network (GRUAN) to serve as a reference network for other radiosonde sites, for calibration and validation of satellite records, and for other applications.

Aircraft observing systems

- Will be available from most airport locations, in all regions of the world;
- Flight-level and ascent/descent data will be available at user-selected temporal resolution;
- Will observe humidity and some components of atmospheric composition, in addition to temperature, pressure and wind;
- Will also be developed for smaller, regional aircraft with flight levels in the mid-troposphere and providing ascent/descent profiles into additional airports.

Land-surface observations systems

- Will come from a wider variety of surface networks (e.g., road networks, mobile platforms) and multi-application networks;
- Will be primarily automated and capable of reproducing or substituting for measurements previously obtained subjectively (weather phenomena, cloud type, etc.);
- Will include the **GSN** subset of surface stations for climate monitoring.

Surface marine observations

- From drifting buoys, moored buoys, ice buoys and Voluntary Observing Ships will complement satellite observations;
- With improved temporal resolution and timeliness, through reliable and cost-effective satellite data communication systems;

Ocean sub-surface observing technology will be improved, including cost-effective multi-purpose *insitu* observing platforms, ocean gliders, and instrumented marine animals.

Remote-Sensing observing systems:

- Weather radar systems will provide enhanced precipitation products but with increased data coverage. They will increasingly provide information on other atmospheric variables. There will be much improved data consistency and new radar technology. Collaborative multi-national networks will deliver composite products;
- Coastal HF Radars will provide for ocean currents and wave data:
- Profilers will be developed and used by more applications. A wider variety of technologies will be
 used, including lidars, radars and microwave radiometers. These observing systems will be
 developed into coherent networks and integrated with other surface networks;
- Global Navigation Satellite System (e.g., GPS, GLONASS and GALILEO) receiver networks, for observing total column water vapour, will be extended;
- These systems will be integrated into "intelligent" profiling systems and integrated with other surface observing technologies.

Lightning detection systems

- Long-range lightning detection systems will provide cost-effective, homogenized, global data with a high location accuracy, significantly improving coverage in data sparse regions including oceanic and polar areas:
- **High-resolution lightning detection systems** with a higher location accuracy, cloud-to-cloud and cloud-to-ground discrimination for special applications.

Surface-based observations of **atmospheric composition** (complemented by balloon- and aircraft-borne measurements) will contribute to an integrated three-dimensional global atmospheric chemistry measurement network, together with a space-based component. New measurement strategies will be combined to provide near real-time data delivery.



CGMS-37 WMO-WP-12 v1, 8 October 2009

Surface-based observations will support **nowcasting and very short-range forecasting** through the widespread integration of radar, lightning and other detection systems, with extension to continental and global scales of the networks.